

Report No.: 168567276c 001 Page 1 of 8

Client: YIWU SAIKUN IMPORT AND EXPORT CO., LTD

Contact Information: FIFTH floor,no.2 HUAXIA road,choujiang street,yiwu city,zhengjiang province

Buyer's name: ANCIENT WISDOM

Manufacturer's name: YIWU SAIKUN IMPORT AND EXPORT CO., LTD

Identification/ Model No(s): Candle
CHKCC

Sample obtaining method: Sending by customer

Condition at delivery: Test item complete and undamaged.

Sample Receiving date: 2025-07-30, 2025-08-22

Testing Period: 2025-08-01 to 2025-09-04

Place of testing: Toys laboratory Shenzhen

Test Specification:	Test result:
1. Candle - Specification for Fire Safety(EN 15493)	PASS
2. Soot Index of Candle - Specification for Sooting Behavior(EN 15426)	PASS
3. Candle - Product Safety Labels(EN 15494)	PASS

Other information:

(1) Information provided by customer:
Sales Destination: UK Europe

For and on behalf of
TÜV Rheinland (Shenzhen) Co., Ltd.



2025-09-16

Candy He / Lab. Supervisor

Date

Name/Position

Sample information is provided by customer. Test result is drawn according to the kind and extent of tests performed.
This test report relates to the above mentioned test sample. Without permission of the test center this test report is not permitted to be duplicated in extracts. This test report does not entitle to carry any safety mark on this or similar products.
"Decision Rule" document announced in our website (<https://www.tuv.com/landingpage/en/qm-gcn/>) describes the statement of conformity and its rule of enforcement for test results are applicable throughout this test report.

Test Report No.: 168567276c 001

Page 2 of 8

Material List:

Item: Candle
CHKCC

Material No.	Material	Color	Location
M003	Whole Product	Multicolor	Chakra crystal candle HEART CHAKRA

Test Report No.: 168567276c 001

Page 3 of 8

1.Candle - Specification for Fire Safety

Test Method: EN 15493: 2019

Test No.	T003				
Material No.	M003				
Type of candle	Floating candles, container candles and candles marketed as self-extinguishing with a mass > 25 g				
Burn test cycle	Burning for (240 ± 5) min, > 60 min pause. Continuous burning in cycles until self-extinguishing.				
Testing temperature	23°C				
Feature	Requirement/ Package information(*1)	Observation & Test Record			Assessment (*2)
		Sample1	Sample2	Sample3	
Colour	(*3)	Beige	Beige	Beige	n.a.
Weight (g)	(*3)	122.8	119.6	120.9	n.a.
Height / Length (mm)	(*3)	50	50	50	n.a.
Diameter (mm)	(*3)	88	88	88	n.a.
Burning time (min)	(*3)	1138	1000	1156	n.a.
Stability on incline plane	No tipped over	Met	Met	Met	Met
Secondary ignition (s)	≤ 10s	0	0	0	Met
Flame height (mm)	Candle: ≤75mm Tea light: ≤30mm	25	23	24	Met
Self-extinguishing behavior for freestanding candles marketed as self- extinguishing	Shall self- extinguish at the end of the burning time. Shall neither burn a paper placed underneath nor cause any scorch marks	n.a.	n.a.	n.a.	n.a.
Self-extinguishing behavior for non- freestanding candles marketed as self- extinguishing	Candles with diameter of ≤ 14 mm: self-extinguish at a residual height of ≥12 mm. Other candle: self- extinguish at a residual height of ≥18 mm.	n.a.	n.a.	n.a.	n.a.
Container condition (*4)	Shall not crack or break at any time throughout the burning test	Met	Met	Met	Met
Afterglow (s)	≤ 30s	6	9	6	Met
Spontaneously re- ignition	No self-ignition of the wick after extinguished	Met	Met	Met	Met

Test Report No.: 168567276c 001

Page 4 of 8

Abbreviation: s = second
h = hour
min = minute
n.a. = not applicable
mm = millimeter
g = gram
°C = degree Celsius
≤ = small or equal to

Remark:

- *1 The candle must have the required shade and intensity of color, and must adhere to any candle dimensions shown on the packing.
- *2 The physical properties of all submitted samples should meet the requirement or the information provided in the packaging.
- *3 No information is provided for assessment.

Test Report No.: 168567276c 001 Page 5 of 8

2.Soot Index of Candle -Specification for Sooting Behavior

Test Method: EN 15426:2018

	Test No.		T003
	Material No.:		M003
Parameter	Times	Unit	Result
Soot Index	1st	/hour	<1 /hour
	2nd	/hour	<1 /hour
	3rd	/hour	<1 /hour
	Average	/hour	<1 /hour

Specification:

- Average less than 1.0/hour

Remark:

*1 The examined item meets the requirement.

3.Candle - Product Safety Labels

Test Method: EN 15494: 2019

As a minimum the product label with the mandatory supplementary safety information (Tables 1 to 3) shall be visible and legible on the packaging or product.

Table 1 - Mandatory supplementary safety information




Test No.	T003		
Material No.	M003		
	OR	Never leave a burning candle unattended	Yes
	OR	Keep away from things that can catch fire.	Yes
	OR	Keep away from children and pets.	Yes
			Met

Table 2 - Additional mandatory supplementary safety information - Specific for certain candle types



Test No.	T003		
Material No.	M003		
	OR	Use a heat resistant candleholder.	n.a.

Table 3 - Additional mandatory supplementary safety information - Specific for floating candles

Test No.	T003		
Material No.	M003		
	OR	Use in a suitable bowl filled with water.	n.a.

Test Report No.: 168567276c 001 Page 7 of 8

The supplementary safety information symbols or texts shall be placed in close proximity to the general warning sign below and/or to the right beside the general warning sign.



 Supplementary safety information (symbols or text)	OR	 Supplementary safety information (symbols or text)	Met
--	----	--	-----

Table 4 - Minimum height of the supplementary safety symbols

Test No.	T003		
Material No.	M003		
Height of the supplementary safety symbols	Min. 5 mm	Yes	Met

Sample Photos



- END -

